



Protac™ White Polyester 210μ (8.5 mil)

Product Description

Protac™ White Polyester 210μ (8.5 mil) is a 188μ (7.5 mil) opaque, white polyester backing film coated on one side with a pressure sensitive, solvent acrylic adhesive, which is protected by a 36μ (1.4 mil) natural polyester film with a single side easy release coating. Available in various sizes.

Suggested Applications

Protac™ White Polyester 210μ (8.5 mil) is ideal for display graphics that don't require 100% opacity, but will benefit from the durability and flatness of a polyester substrate.

Product Structure

Film:	White Polyester	^ . . . ^ 210μ (8.5 mil)
Adhesive:	Solvent Acrylic (Pressure Sensitive)	
Release Liner:	Polyester (Moisture Stable)	

General Properties

Film Thickness	188μ (7.5 mil)
Adhesive Layer	25μ (1mil)
Ratio Film/Adhesive	7.5/1

Outdoor Durability 3 months will only show inconsequential changes in properties.

Heat Resistance Range	Up 130°C (266°F)
Peel Strength (20 min, FTM1)	12 N/25mm

Process Settings

Roller Laminator	Press
Temperature: Room temperature to 49°C (120°F) Speed: 0.3m to 1.75m (1 ft to 6 ft) per minute	NOT RECOMMENDED

Specifications subject to change without notice.

Published information concerning Drytac products is based upon research which the company believes to be reliable and accurate. Such information is intended only as a guide and is given without guarantees. Purchasers should independently determine, prior to use, the suitability of each material for their specific purpose. Drytac does not accept liability for risks associated with the performance of the materials in application. All Drytac products are subjected to carefully quality control throughout the manufacturing process and are sold subject to Drytac standard conditions of sale

Drytac Europe Ltd (UK) – Drytac House, Filwood Road, Fishponds, Bristol, BS16 3RY, UK. Tel: +44 (0) 845-070-0660

Drytac Corp. (USA) – 5383 Glen Alden Drive, Richmond, Virginia 23231, USA. Telephone: 1-800-603-6610

Drytac Canada Inc. (Canada) – 220 Caldari Road, Concord, Ontario, L4K 3X5, Canada. Telephone: 1-800-353-288